

Resources:		Catalogs	Flyers	Product Toolbox				Lighting Layout Tool				Warranty			YouTube Channel														
www.ledvanceUS.com				Item Number Legend				Discontinued with inventory																					
SYLVANIA						Limited inventory available																							
Natural™ Series with TruWave Technology™																				June 2026									
						Arriving soon																							
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC			Traditional Equivalent	Replacement Item Number								
Natural™ Series - Clear (General Purpose)																													
	40761	LED5.5A15DIM927CL13YTLBL2		A15	-	5.5	450	>90	2700K	15000	2	8	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40774	LED5.5A15CDIM927CL13YTLBL2		A15	-	5.5	450	>90	2700K	15000	2	8	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40699	LED5.5A19DIMCL92713YTLRP		A19	-	5.5	450	>90	2700K	15000	1	6	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40686	LED5.5A19DIMCL92713YTLRP4		A19	-	5.5	450	>90	2700K	15000	4	16	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	49826	LED5.5A19DIMCL95013YTLRP4		A19	-	5.5	450	>90	5000K	15000	4	16	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40700	LED8A19DIMCL92713YTLRP		A19	-	8	800	>90	2700K	15000	1	6	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40687	LED8A19DIMCL92713YTLRP4		A19	-	8	800	>90	2700K	15000	4	16	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-										
	49827	LED8A19DIMCL95013YTLRP4		A19	-	8	800	>90	5000K	15000	4	16	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40701	LED11A19DIMCL92713YTLRP		A19	-	11	1100	>90	2700K	15000	1	6	Medium	Soft Glass	-	-	Title 20	75W Incandescent	-										
	40688	LED11A19DIMCL92713YTLRP4		A19	-	11	1100	>90	2700K	15000	4	16	Medium	Soft Glass	-	-	Title 20	75W Incandescent	-										
	40803	LED11A19DIMCL95013YTLRP4		A19	-	11	1100	>90	5000K	15000	4	16	Medium	Soft Glass	-	-	Title 20	75W Incandescent	-										
	42304	LED15A19DIMO92713YTLRP		A19	-	15	1600	>90	2700K	15000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42303	LED15A19DIMCL092713YTLRP		A19	-	15	1600	>90	2700K	15000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42306	LED15A19DIMO92713YTLRP2		A19	-	15	1600	>90	2700K	15000	2	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42305	LED15A19DIMCL092713YTLRP2		A19	-	15	1600	>90	2700K	15000	2	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42278	LED15A19DIMO92713YTLRP4		A19	-	15	1600	>90	2700K	15000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42276	LED15A19DIMO95013YTLRP4		A19	-	15	1600	>90	5000K	15000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42290	LED15A19DIMO95013YTLRP		A19	-	15	1600	>90	5000K	15000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42275	LED15A19DIMCL092713YTLRP4		A19	-	15	1600	>90	2700K	15000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42292	LED15A19DIMO95013YTLRP2		A19	-	15	1600	>90	5000K	15000	2	8	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42273	LED15A19DIMCL095013YTLRP4		A19	-	15	1600	>90	5000K	15000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42296	LED15A19DIMO94013YTLRP		A19	-	15	1600	>90	4000K	15000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42295	LED15A19DIMO93013YTLRP		A19	-	15	1600	>90	3000K	15000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42294	LED15A19DIMO93513YTLRP		A19	-	15	1600	>90	3500K	15000	1	6	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42277	LED15A19DIMO93513YTLRP4		A19	-	15	1600	>90	3500K	15000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42291	LED15A19DIMCL095013YTLRP2		A19	-	15	1600	>90	5000K	15000	2	8	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	42274	LED15A19DIMCL093513YTLRP4		A19	-	15	1600	>90	3500K	15000	4	16	Medium	Soft Glass	-	-	Title 20	100W Incandescent	-										
	40769	LED13.5A213WAYO927CL13YTLRP		A21 3-way	-	13.5	450/800/1450	>90	2700K	15000	1	6	Medium	Soft Glass	-	-	Title 20	40/60/100W Incandescent	-										
	40770	LED13.5A213WAYO950CL13YTLRP		A21 3-way	-	13.5	450/800/1450	>90	5000K	15000	1	6	Medium	Soft Glass	-	-	Title 20	40/60/100W Incandescent	-										
	40854	LED3B10CBENTDIM927CL13YTLBL2		B10	-	3	200	>90	2700K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	25W Incandescent	-										
	40855	LED3B10CBENTDIM950CL13YTLBL2		B10	-	3	200	>90	5000K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	25W Incandescent	-										
	40756	LED4B10BENTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15000	2	12	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40793	LED4B10BLUNTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15000	2	12	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40755	LED4B10CBENTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40794	LED4B10CBUNTDIM927CL13YTLBL2		B10	-	4	350	>90	2700K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40792	LED4B10BENTDIM950CL13YTLBL2		B10	-	4	350	>90	5000K	15000	2	12	Medium	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40791	LED4B10CBENTDIM950CL13YTLBL2		B10	-	4	350	>90	5000K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	40W Incandescent	-										
	40758	LED5.5B10BENTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15000	2	12	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40795	LED5.5B10BLUNTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15000	2	12	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40757	LED5.5B10CBENTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40796	LED5.5B10CBUNTDIM927CL13YTLBL2		B10	-	5.5	500	>90	2700K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40760	LED5.5B10BENTDIM950CL13YTLBL2		B10	-	5.5	500	>90	5000K	15000	2	12	Medium	Soft Glass	-	-	Title 20	60W Incandescent	-										
	40759	LED5.5B10CBENTDIM950CL13YTLBL2		B10	-	5.5	500	>90	5000K	15000	2	12	Candelabra	Soft Glass	-	-	Title 20	60W Incandescent	-										
	42279	LED7.5B10CBENTDIM950CL13YTLRP2		B10	-	7.5	750	>90	5000K	15000	2	8	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-										
	42280	LED7.5B10CBENTDIM935CL13YTLRP2		B10	-	7.5	750	>90	3500K	15000	2	8	Candelabra	Soft Glass	-	-	Title 20	75W Incandescent	-										
	42281	LED7.5B10CBENTDIM927CL13YTLRP2		B10	-	7.5	750	>90	2700K	15000	2	8	Candelabra																

Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
	42110	LED15A21DIM09SC3RP		A21	-	15	1600	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	-	Title 20	100W Incandescent	-
	41922	LED7.5BR30DIM9SC3TLRP		BR30	-	7.5	650	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	6	Medium	Plastic	-	-	Title 20	65W Incandescent	-
	42397	LED7.5BR30DIM9SC3TLRP		BR30	-	7.5	650	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	3	Medium	Plastic	-	-	Title 20	65W Incandescent	-
	42108	LED13BR40DIM9SC3RP		BR40	-	13	1100	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	-	Title 20	85W Incandescent	-
	42272	LED7.5ST19DIMCL9SC3TLRP		ST19	-	7.5	800	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	-	Title 20	60W Incandescent	-
	42270	LED13ST19DIMCL9SC3TLRP		ST19	-	13	1400	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	-	Title 20	100W Incandescent	-
	42271	LED5G25DIMCL9SC3TLRP2		G25	-	5	500	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	-	Title 20	60W Incandescent	-
	42589	LED9R20DIM9SC3TLRP		R20	-	9	800	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	3	Medium	Plastic	-	-	Title 20	75W Incandescent	-
	42603	LED5.5PAR20DIM9SC3TLFL40RP		PAR20	-	5.5	550	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	50W Incandescent	-
	42604	LED5.5PAR20DIM9SC3TLNFL25RP		PAR20	-	5.5	550	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	50W Incandescent	-
	42594	LED8.5PAR30LNDIM9SC3TLFL40		PAR30LN	-	8.5	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
	42595	LED8.5PAR30DIM9SC3TLFL40		PAR30	-	8.5	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
	42624	LED10PAR30LNDIM9SC3TLNFL25RP		PAR30LN	-	10	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
	42625	LED10PAR30DIM9SC3TLNFL25RP		PAR30	-	10	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
	42286	LED8.5PAR38DIM9SC3TLADJRP		PAR38	-	8.5	650	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	4	Medium	Plastic	-	-	Title 20	75W Halogen	-
	41522	LED15.5PAR38DIM9SC3TLFL40RP		PAR38	-	15.5	1300	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	120W Halogen	-
	42605	LED15.5PAR38DIM9SC3TLNFL25RP		PAR38	-	15.5	1300	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	120W Halogen	-
	42287	LED15.5PAR38DIM9SC3TLADJRP		PAR38	-	15.5	1200	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	4	Medium	Plastic	-	-	Title 20	120W Halogen	-
Natural™ Series Reflector Family																			
	40788	LED5R20DIM927TLRP2		R20	-	5.5	450	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40789	LED5R20DIM930TLRP2		R20	-	5.5	450	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	41153	LED5R20DIM935TLRP2		R20	-	5	450	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	41188	LED5R20DIM940TLRP2		R20	-	5	450	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40790	LED5R20DIM950TLRP2		R20	-	5.5	450	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40728	LED7.5BR30DIM927TLRP2		BR30	-	7.5	650	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40831	LED7.5BR30DIM930TLRP2		BR30	-	7.5	650	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	41154	LED7.5BR30DIM935TLRP2		BR30	-	7.5	650	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40832	LED7.5BR30DIM940TLRP2		BR30	-	7.5	650	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40730	LED7.5BR30DIM950TLRP2		BR30	-	7.5	650	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40785	LED12.5BR40DIM927TLRP2		BR40	-	12.5	1100	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	40786	LED12.5BR40DIM930TLRP2		BR40	-	12.5	1100	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	41155	LED12.5BR40DIM935TLRP2		BR40	-	12.5	1100	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	41214	LED12.5BR40DIM940TLRP2		BR40	-	12.5	1100	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	40787	LED12BR40DIM950TLRP2		BR40	-	12.5	1100	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
Natural™ Series PAR Family																			
	40930	LED6PAR16DIM930TLFL40GLRP		PAR16	-	6	450	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40932	LED6PAR16GU10DIM930TLFL40GLRP		PAR16	-	6	450	>90	3000K	25,000	1	6	GU10	Glass	-	-	Title 20	50W Halogen	-
	40931	LED6PAR16DIM950TLFL40GLRP		PAR16	-	6	450	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40933	LED6PAR16GU10DIM950TLFL40GLRP		PAR16	-	6	450	>90	5000K	25,000	1	6	GU10	Glass	-	-	Title 20	50W Halogen	-
	40920	LED6.5PAR20DIM930TLFL40GLRP		PAR20	-	6.5	550	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	41156	LED6.5PAR20DIM935TLFL40GLRP		PAR20	-	6.5	550	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	41119	LED6.5PAR20DIM940TLFL40GLRP		PAR20	-	6.5	550	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40921	LED6.5PAR20DIM950TLFL40GLRP		PAR20	-	6.5	550	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40914	LED10.5PAR30DIM930TLNFL25GLRP		PAR30	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40916	LED10.5PAR30DIM930TLFL40GLRP		PAR30	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	41159	LED10PAR30DIM935TLFL40GLRP		PAR30	-	10	850	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	41118	LED10PAR30DIM940TLFL40GLRP		PAR30	-	10	850	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40915	LED10.5PAR30DIM950TLNFL25GLRP		PAR30	-	10.5	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40917	LED10.5PAR30DIM950TLFL40GLRP		PAR30	-	10	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40910	LED10.5PAR30LNDIM930TLNFL25GLR		PAR30LN	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40912	LED10.5PAR30LNDIM930TLFL40GLR		PAR30LN	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40911	LED10PAR30LNDIM950TLNFL25GLRP		PAR30LN	-	10	850	>90	5000K										

Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC	Traditional Equivalent	Replacement Item Number
	61808	UNDCAB06120PLGADAPT		Undercabinet	-	6	-	-	-	-	1	4	Plug-in	-	-	-	-	-	-
	61809	UNDCAB12120PLGADAPT		Undercabinet	-	12	-	-	-	-	1	4	Plug-in	-	-	-	-	-	-
	61811	UCLONGCONNSOLIDWH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-	-	-
	61814	UCSHORTCONNSOLIDWH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-	-	-
	61817	UCCORNERCONNSOLIDWH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-	-	-
	61820	UCWIRECONN6INCH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-	-	-
	61821	UCWIRECONN39INCH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-	-	-
	61822	UCWIRECONN78INCH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-	-	-
	61824	UCSPITTER80OUTPUT		Undercabinet	-	-	-	-	-	-	1	4	Splitter	-	-	-	-	-	-
	61825	UCSWEEPMODDIMCCTWH		Undercabinet	-	-	-	-	-	-	1	4	Sensor	-	-	-	-	-	-